


dustie[®]
smart & simple



Dustie Air Cleaner

瑞典達氏空氣清淨機

DK1



Please read this operating manual,
Before using this product.

(請在使用本產品前，閱讀本操作手冊)

Version : 1802V1

Safety Instructions


- Please read the operating manual carefully before use and keep it properly for future reference.
- When using electrical appliances, we should have basic safety knowledge to avoid fires, electric shocks and other injuries. You are expected to follow the instructions below.

	Use the product safely to avoid fires, electric shocks and other injuries.		The product must be erect in operation.
	Do not lay the wire under a carpet or close to a heat source.		Keep foreign objects from entering or blocking the air inlet or outlet, otherwise the product will be damaged.
	When the filter replacement (cleaning) indicator is on, replace (or clean) the filter to ensure high cleaning performance.		Do not sit, stand or put items on the product.
	Do not use the product when it or its wire or plug is damaged.		Do not use the product in a place with any inflammable gas or steam.
	Do not use the product when it does not have a complete filter.		Do not use the product outdoors.
	Do not use the product close to a moist or easily wetted place, such as a bathroom, a kitchen, a water tank or a highly moist basement.		If the wire is damaged, have it replaced by the manufacturer or an authorized service center and maintenance personnel to avoid dangers.

-  **Caution**
- Electrical appliances are not intended to be used by users who are lack of physiology, perception, mental ability, experience or knowledge(including children) , unless they are safely under the supervision or guidance of persons responsible for their safety.
 - Children should be monitored, to ensure that children do not play appliances.

- 【Preparation prior to use】**
- Take out the product from its packing box and place it on a table or flat floor. The body of the product should be at least 60cm or more away from the walls or other home furnishing to promote air circulation.
 - Please remove the left filter screen cover and pull out the plastic bag containing the HEPA and the activated carbon filter screens from the middle position in the upper part of the cover; restore the filter screens to the original positions in order and put on the cover.
 - Caution: Please remove all packing materials before use so as not to block the air inlet and outlet.

Names and specifications of parts



Only open the filter screen cover on the left side when replacing the filter screen.


Caution

Before the relevant operations such as cleaning or maintenance of the electric appliance.

- ① Air cleaner body
- ② HEPA activated carbon filter screen set
- ③ Aromatherapy box
- ④ Filter screen side cover

Product	Dustie Air Cleaner	Mode of dust collection	Bidirectional vortex circulation and filtration system
Model	DK1	CADR of particular matters	110m ³ /h
Rated voltage	110V ~ 60Hz	Maximum cover area	13m ²
Input power	28W	Weight	2.9kg
Dimensions	179 (W) X222 (D) X424 (H) mm		

Control panel



- 1 Timer indicator light 2Hrs 4Hrs 8Hrs
- 2 Timer button 
- 3 Filter screen replacement indicator power indicator (blue ring blink) 
- 4 Power button  (blue ring)
- 5 Air flow button 
- 6 Air flow indicator  light

Instructions

Insert the plug of the product into the standard 110V socket.



Please be sure to remove the plastic bag from the filter screen when the product is used for the first time!

Power-on

Press (). The blue power indicator light is lit. The product will power on. It will start with the Medium gear and run at the Low gear. The Low gear indicator light (green) is lit.

Power-off

Press () during operation to power off the product.

Air flow selection

Press () to switch to a medium or high air flow gear. There are three circular options of air flow, including Low, Medium and High. The green flow indicator light  ,  , or  will be lit accordingly to indicate the selected gear.

Timer setup

If () is pressed, Running time of the product can be set as 2 hours, 4 hours or 8 hours. The indicator will be on according to the set time.


Operation instructions

PS: Take out the side cover according to the instructions shown in the figure below. HEPA+ activated carbon filter screen:

The DK1 device has two groups of HEPA filter screens which, coupled with the activated carbon, can remove the dust and haze in the air and all kinds of odor. Continuous use of the product can maintain the high quality air environment. Please be sure to remove the plastic bags from the two sets of filter screens.

Aromatherapy function:

DK1 also has the aromatherapy function. Users can choose the fragrance of flowers according to their personal preferences to relax themselves. They can pull out the aroma and drop a few drops of their favorite aromatic compounds onto the sponge in the aromatherapy box. In this way they can not only enjoy fresh air, but also fragrant smell.




Replace the filter screen:

When the air cleaner is used for a total of 6,000 hours (equivalent to about 8 months of continuous use), the blue ring replacement monitoring light will blink continuously to remind you to replace the filter screen. At this point, please immediately replace the filter screen to maintain the air purification efficiency of the air cleaner. After the filter screen is replaced, press and hold the (⏻) button for 3 seconds. The blue ring indicator light is lit and the timer is reset. If the product is used in a place with poor air quality, it is suggested to shorten the interval of filter replacements to ensure normal filtering performance for the product.


Caution: The activated carbon filter screen should be frequently replaced according to actual needs. It's suggested that it should be replaced every three months.

When the blue ring indicator light continuously blinks, please replace the filter screen according to the following instructions:


The DK1 device has two groups of HEPA filter screens which, coupled with the activated carbon, can remove the dust and haze in the air and all kinds of odor. Continuous use of the product can maintain the high quality air environment.




1 Stop and unplug the product.




2 Remove the filter screen cover on the left side of the product and pull out the filter screen from the middle position in the lower part of the cover.




3 Pull out and remove the filter screen drawer



4 Replace and install the filter screen



5 Restore the filter screen on the left side: hang the upper part of the filter screen and then lightly tug in and fasten the lower part.



6 Insert the plug: Press (⏻) button to power on the product. Press and hold (⏻) button for about 3 seconds until the blinking indicator light no longer blinks. Timer has been reset. There will be a prompt upon the next setting time.

Common problems

Common problem	Troubleshooting
<p>Why is there no air coming out of the air cleaner?</p>	<ul style="list-style-type: none"> ● Inspect whether plastic bag of the filter has been removed or not. ● Inspect whether the filter has been properly assembled or not. ● Check whether the outlet in the upper part of the air cleaner is blocked. ● If it is blocked, it will affect the operation of the air cleaner. ● Inspect whether operation is set as the fixed-time mode and the set time is up.
<p>Why does the filter need to be cleaned?</p>	<ul style="list-style-type: none"> ● The filter is the core of the product, so regular cleaning can not only improve its filtering performance but also prolong its life. The DK1 series air cleaners can be externally cleaned after it is used for a period of time. After cleaning the filter screen according to the instructions, put it back into the air cleaner. Plug in the air cleaner.
<p>How often should the Clinic HEPA screen be replaced?</p>	<ul style="list-style-type: none"> ● It depends on the service conditions. If the product is used in a place with poor air quality or in a newly decorated house, it is suggested to clean or replace the filter more frequently, so as to realize the best filtering efficiency. The DK1 series air cleaners have built-in timer. After the filter screen in the air cleaner is used for a time approaching the replacement limit, the replacement indicator light will blink to remind you to replace the filter screen. After cleaning the filter screen according to the instructions, put it back into the air cleaner. Plug in the air cleaner. Press and hold the corresponding filter (reset button) for 3 seconds to reset the timer.
<p>Why will the airflow be reduced after the air cleaner is used for a period of time?</p>	<ul style="list-style-type: none"> ● Make sure the air inlet and outlet are not plugged. Remove all the plastic bags from the filter screens. Check the condition of the filter screens and clean them if necessary. If the HEPA screen is used for a period of time, consider replacing it. Make sure the air inlet grille is at least 30 to 90 centimeters away from the walls.

- If you need services or want to purchase filters and other supplies, please call our customer service line 0800-600-026.

安全重要提示

- 使用前請詳細閱讀本操作說明指示，並妥善保管，以供日後參考。
- 當我們在使用電器用品時，應具備最基本的安全常識，以避免火災、觸電以及其他傷害的發生。因此，請遵守以下指示

	使用電器用品應注意避免火災，電擊和傷害的危險。		本空氣清淨機必須直立使用。
	請勿將電線安置在地毯下或者接近熱源。		請勿讓物體進入或阻擋進出風口，如此會損傷到空氣清淨機。
	更換（清潔）濾網檢測燈亮起時就要更換（清潔）耗材，以確保空氣清淨機的清淨效果。		請勿坐、站或放置物品在空氣清淨機上面。
	電線，插頭或產品已破壞時請勿使用。		在有易燃的氣體或蒸汽處，請勿使用空氣清淨機。
	除非濾網組件完備否則請勿使用。		請勿在室外使用。
	請勿將本產品靠近潮濕或容易被水潑濕的地方使用如浴室，廚房，水槽邊及嚴重潮濕的地下室。		若電源線損壞時，必須由製造廠商或其授權服務網點及維修人員加以更換以避免危險。





注意

- 本電器不預期供生理、感知、心智能力、經驗或知識不足之使用者（包括孩童）使用，除非在對其負有安全責任的人員之監護或指導下安全使用。
- 兒童應受監護，以確保孩童不嬉玩電器。

【使用前準備工作】

- 將空氣清淨機從包裝盒中取出，置於桌面或平坦地板上。機體離牆壁或其他家居至少 60 公分以上，利於空氣循環。
- 請由機器左側濾網蓋下方中間位置往外側拉出，取下包裝HEPA與活性炭濾網的塑膠袋，並妥適依序將濾網安裝回放置濾網位置，蓋上濾網蓋。
- 注意：使用前請移開所有包裝材料以免堵住進出風口。

部 品 名 稱 及 規 格




注意

更換濾網只需打開左濾網側蓋。
對電器進行清潔或保養等相關作業前
須將電器切斷電源。

- ① 空氣清淨機本體
- ② HEPA/活性炭濾網組
- ③ 香薰盒
- ④ 濾網側蓋

產 品	Dustie 達氏 空氣清淨機	集塵模式	雙向渦流循環過濾系統
型 號	DK1	顆粒物 CADR	110m ³ /h
額定電壓	110V~60Hz	最大適用面積	13m ² (4坪)
消耗功率	28W	重 量	2.9kg
尺 寸	179(寬)X222(深)X424(高)mm		



- 1 定時指示燈 2Hrs 4Hrs 8Hrs
- 2 定時按鍵 
- 3 更換濾網指示燈 (環狀閃爍) 
電源指示燈(環狀)
- 4 電源按鍵 
- 5 風量按鍵 
- 6 風量指示燈 

使用說明

請將空氣清淨機插頭插入標準 110V 插座。



注意

首次使用，請務必將濾網外塑膠袋拆除！

開啟電源

按一下 ()，藍色電源指示燈亮起，空氣清淨機將開機並設定於低檔，低檔風量指示燈亮起。

關機

在空氣清淨機啟動運轉中，按一下 () 關機。

風量選擇

要更換中檔或高檔，可按 () 來選擇，風量大小以低，中，高方式循環。

綠色風量指示燈 ，， 依選擇檔位亮燈。

定時設定

按一下 () 可設定空氣清淨機定時操作，分別為 2，4，8 小時，依設定時間亮燈。

操作指導

PS：取下側蓋請參考下方示意圖

HEPA+活性炭濾網：


DK1機身有上下兩組HEPA濾網，搭配活性炭濾網。

首次使用請務必拆除上下兩套濾網組的塑膠包裝。

香薰功能：

DK1還貼心提供室內芳香功能,可依個人喜好選擇各種清新花香，舒緩壓力。

把 (Aroma) 盒子取出來,滴幾滴喜好的芳香劑在香薰盒子裡面的泡棉上，即可在清淨空氣的同時，享受清新芳香的氣味。




更換濾網：

當本空氣清淨機累計使用達 6000小時(連續使用約8個半月)時，藍色環狀的更換監測燈將會持續閃爍，提醒您更換濾網。此時請即更換濾網,以維持清淨機清潔空氣的效能，更換完成後按壓()鍵3秒解除閃爍重新開始計時。如果用在空氣品質不佳的環境，建議您可以縮短更換濾網時間，以保持空氣清淨機功效。


說明：活性炭濾網請依實際需要更換，一般建議三個月更換一次。

當藍色環狀指示燈持續閃爍時，請依照下列說明更換濾網：


DK1裝置有上下兩組高效率HEPA濾網,搭配活性炭除異味濾網。充分改善空氣中塵霾,與各種異味的困擾，持續使用可以維持高品質的空氣環境。




1 關掉空氣清淨機
並拔掉插頭




2 打開左側濾網蓋：由濾網蓋
下方中間位置往外側拉出




3 拉出並取出濾網



4 更換新濾網並確實裝好



5 裝回左側濾網蓋：由上方先
掛入在將下方輕輕壓入扣緊



6 插回插頭，按()按鍵開啟清淨機。
然後按住()按鍵約3秒鐘，直到閃爍的指示燈不再閃爍。此時已重新設定計時，等下次時間到再提醒

常見故障	常見原因
為什麼空氣清淨機沒有出風？	<ul style="list-style-type: none"> ● 請檢查電源線插頭是否適當插好。 ● 請檢查清淨機濾網的塑膠袋是否拆除。 ● 請檢查清淨機濾網是否放置妥當。 ● 是否有物品堵住淨化器上方出風口，如果出風口被堵住，會影響清淨機運作。 ● 是否有設定定時運轉，而設定時間已到。
為什麼要清潔濾網？	<ul style="list-style-type: none"> ● 濾網是清淨機的核心，週期性清潔濾網不僅可以提高濾材的過濾效果，還可以延長濾網的使用壽命。DK1系列濾網使用一段時間以後可進行一次外部清潔。請依照說明書指示清潔濾網後，放回清淨機內，插上插頭，前置濾網清潔後需按住前置濾網按鍵 3秒，以重新設定計時。
每隔多少時間該更換濾網？	<ul style="list-style-type: none"> ● 根據使用者的使用環境，如果環境空氣品質較差，或是用於新屋裝修後，建議較頻繁的清潔濾網或是提早更換新的濾網，來保持最佳淨化效能。DK1系列內置使用計時，機內各濾網使用時間達到需更換界限後，更換指示燈將會閃爍來提醒您更換濾網。請依照說明書指示清潔濾網後，放回淨化器內，插上插頭，按住 Power按鍵（複歸按鍵）3秒，以重新設定計時。
為什麼清淨機使用一段時間後產生的氣流會減少？	<ul style="list-style-type: none"> ● 確保空氣入口和過濾後空氣排出口沒有被堵塞。取下過濾網中所有的塑膠袋。檢查過濾網的狀況，如有必要，清潔過濾網。濾網如果使用一段時間，請考慮更換新的 HEPA濾網。確保空氣入口格柵離牆壁的距離至少為 30至90釐米。

- 如需要服務或購買過濾器等耗材，請聯絡客戶服務專線 0800-600-026

限用物質表

設備名稱：空氣清淨機 Equipment name		型號（型式）：DK1 Type designation (Type)				
部件名稱 Unit Name	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛Lead (Pb)	汞Mercury (Hg)	鎘Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
電源線組	○	○	○	○	○	○
馬達電動機	○	○	○	○	○	○
PCB基板組件	○	○	○	○	○	○
配線線材	○	○	○	○	○	○
塑膠部件	○	○	○	○	○	○
金屬部件	○	○	○	○	○	○

備考1. “超出0.1 wt%” 及 “超出0.01 wt% ” 係指限用物質之百分比含量超出百分比含量基準值。
 Note 1 : "Exceeding 0.1 wt%" and "exceeding 0.01 wt%" indicate that the percentage content of the restricted substances exceeds the reference percentage value of presence condition .

備考2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。
 Note 2 : "○" indicate that the percentage content of the restricted substance does not exceed the reference percentage value of presence condition .

備考3. “—” 係指該項限用物質為排除項目。
 Note 3 : The "—" indicate that the restricted substance corresponds to the exemption .